



Windows PowerShell Get-Help on Cmdlet 'Get-AzWebAppPublishingProfile'

PS:\>Get-HELP Get-AzWebAppPublishingProfile -Full

NAME

Get-AzWebAppPublishingProfile

SYNOPSIS

Gets an Azure Web App publishing profile.

SYNTAX

```
Get-AzWebAppPublishingProfile [-ResourceGroupName] <System.String> [-Name] <System.String> [[-OutputFile]
<System.String>] [[-Format] {WebDeploy | FileZilla3 | Ftp}]

[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-IncludeDisasterRecoveryEndpoints] [<CommonParameters>]
```

```
Get-AzWebAppPublishingProfile [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite> [[-OutputFile]
<System.String>] [[-Format] {WebDeploy | FileZilla3 | Ftp}]

[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-IncludeDisasterRecoveryEndpoints] [<CommonParameters>]
```

The Get-AzWebAppPublishingProfile cmdlet gets an Azure Web App publishing profile.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Format <System.String>

Format

Required? false

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-IncludeDisasterRecoveryEndpoints <System.Management.Automation.SwitchParameter>

Include the disaster recovery endpoints if true

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

WebApp Name

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-OutputFile <System.String>

Output File

Required? false
Position? 2
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

WebApp Object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

OUTPUTS

System.String

NOTES

----- Example 1 -----

```
Get-AzWebAppPublishingProfile -ResourceGroupName "Default-Web-WestUS" -Name "ContosoWebApp" -Format "Ftp"
-OutputFile "C:\Users\contoso\outputfile.publishsettings"
```

This command gets the publishing profile in Ftp format for Web App ContosoWebApp associated with the resource group Default-Web-WestUS and stores it in the specified output file.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/get-azwebapppublishingprofile>

[Get-AzAppServicePlan](#)

[Get-AzWebApp](#)