



## ***Windows PowerShell Get-Help on Cmdlet 'Get-AzWebAppSnapshot'***

***PS:\>Get-HELP Get-AzWebAppSnapshot -Full***

### NAME

Get-AzWebAppSnapshot

### SYNOPSIS

Gets the snapshots available for a web app.

### SYNTAX

```
Get-AzWebAppSnapshot [-ResourceGroupName] <System.String> [-Name] <System.String> [[-Slot] <System.String>]
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-UseDisasterRecovery] [<CommonParameters>]

Get-AzWebAppSnapshot [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-UseDisasterRecovery] [<CommonParameters>]
```

### DESCRIPTION

The Get-AzWebAppSnapshot cmdlet returns all snapshots for a web app. Snapshots are automatic backups of a web

app's files and settings. A snapshot can be restored  
with the Restore-AzWebAppSnapshot cmdlet.

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the web app.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Slot <System.String>

The name of the web app slot.

|                             |                       |
|-----------------------------|-----------------------|
| Required?                   | false                 |
| Position?                   | 2                     |
| Default value               | None                  |
| Accept pipeline input?      | True (ByPropertyName) |
| Accept wildcard characters? | false                 |

-UseDisasterRecovery <System.Management.Automation.SwitchParameter>

Read the snapshots from a secondary scale unit.

|                             |       |
|-----------------------------|-------|
| Required?                   | false |
| Position?                   | named |
| Default value               | False |
| Accept pipeline input?      | False |
| Accept wildcard characters? | false |

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

The web app object

|                             |                |
|-----------------------------|----------------|
| Required?                   | true           |
| Position?                   | 0              |
| Default value               | None           |
| Accept pipeline input?      | True (ByValue) |
| Accept wildcard characters? | false          |

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

## OUTPUTS

Microsoft.Azure.Commands.WebApps.Cmdlets.BackupRestore.AzureWebAppSnapshot

## NOTES

----- Example 1 -----

```
Get-AzWebAppSnapshot -ResourceGroupName "Default-Web-WestUS" -Name "ContosoApp" -Slot "Staging"
```

Get the snapshots for a web app named "ContosoApp" with a slot named "Staging" in the "Default-Web-WestUS" resource group

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/get-azwebappsnapshot>