



Windows PowerShell Get-Help on Cmdlet 'Get-BcdEntry'

PS:\>Get-HELP Get-BcdEntry -Full

NAME

Get-BcdEntry

SYNTAX

Get-BcdEntry [[-Id] <string>] [[-Store] <BcdStoreInfo>] [-WhatIf] [-Confirm] [<CommonParameters>]

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	cf
Dynamic?	false

-Id <string>

Required?	false
-----------	-------

Position?	0
Accept pipeline input?	true (ByValue, ByPropertyName)
Parameter set name	(All)
Aliases	Identifier
Dynamic?	false

-Store <BcdStoreInfo>

Required?	false
Position?	1
Accept pipeline input?	false
Parameter set name	(All)
Aliases	None
Dynamic?	false

-WhatIf

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	wi
Dynamic?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Windows.Bcd.Cmdlets.BcdExtensions.BcdEntryInfo

ALIASES

None

REMARKS

None