



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Get-ClusteredScheduledTask'***

**PS:\>Get-HELP Get-ClusteredScheduledTask -Full**

#### **NAME**

Get-ClusteredScheduledTask

#### **SYNOPSIS**

Gets clustered scheduled tasks for a failover cluster.

#### **SYNTAX**

```
Get-ClusteredScheduledTask [[-TaskName] <String>] [[-Cluster] <String>] [[-TaskType] {ResourceSpecific | AnyNode | ClusterWide}] [-AsJob] [-CimSession <CimSession[]>]  
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

#### **DESCRIPTION**

The Get-ClusteredScheduledTask cmdlet gets the clustered scheduled tasks registered on a failover cluster. You can specify task name or task type.

For more information about the Windows Server 2012 Task Scheduler, see the Task Scheduler Overview (<https://technet.microsoft.com/en-us/library/cc721871.aspx>)topic

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<<https://go.microsoft.com/fwlink/p/?LinkId=227966>>) cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Cluster <String>

Specifies the name of a failover cluster. If you do not specify a cluster, the cmdlet uses the current node cluster name.

Required? false

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-TaskName <String>**

Specifies a name of a scheduled task.

Required? false

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-TaskType <ClusterTaskTypeEnum>**

Specifies a type for the task. The acceptable values for this parameter are:

- ResourceSpecific. Resource specific cluster nodes. - AnyNode. Active cluster nodes. - ClusterWide. All cluster nodes.

Required? false

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

#### INPUTS

#### OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT\_ClusteredScheduledTask[]

#### NOTES

----- Example 1: Get scheduled tasks -----

PS C:\> Get-ClusteredScheduledTask -TaskName "Task14" -Cluster "Cluster73"

This command gets the task named Task14 on the cluster named Cluster73.

#### RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/scheduledtasks/get-clusteredscheduledtask?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/scheduledtasks/get-clusteredscheduledtask?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

[Register-ClusteredScheduledTask](#)

[Set-ClusteredScheduledTask](#)

[Unregister-ClusteredScheduledTask](#)

