



Windows PowerShell Get-Help on Cmdlet 'Get-DAClientExperienceConfiguration'

PS:\>Get-HELP Get-DAClientExperienceConfiguration -Full

NAME

Get-DAClientExperienceConfiguration

SYNOPSIS

Gets the configuration for the DirectAccess client user experience.

SYNTAX

```
Get-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>] [-GPSSession <String>] [-PolicyStore  
<String>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-DAClientExperienceConfiguration cmdlet gets the configuration for the DirectAccess client user experience. The configuration controls the user interface

behavior, as well as what configuration options are available to the user.

All DAClientExperienceConfiguration cmdlets have an ADMX file that can also be used to configure the client experience settings.

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job

completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)` cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

`-GPSSession <String>`

Specifies the Group Policy session from which to read client experience configuration information. You can use GPOSession with the NetGPO cmdlets to aggregate

multiple operations performed on a Group Policy Object. GPOSession cannot be used in conjunction with PolicyStore .

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-PolicyStore <String>

Specifies the policy store from which the cmdlet reads the client experience configuration information.

To read the client experience configuration information from a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To read the client experience configuration information from a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>".

PolicyStore cannot be used in conjunction with GPOSession .

The default value for PolicyStore is ActiveStore.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance

Microsoft.Management.Infrastructure.CimInstance#root/StandardCimv2/MSFT_DAClientExperienceConfiguration

This cmdlet returns a CIM object that contains the DA client experience configuration.

NOTES

Example 1: Get the DirectAccess client experience configuration from the active store

PS C:\> Get-DAClientExperienceConfiguration -PolicyStore "ActiveStore"

This cmdlet gets the DirectAccess client experience configuration from the active policy store.

RELATED LINKS

Online Version:

https://learn.microsoft.com/powershell/module/directaccessclientcomponents/get-daclientexperienceconfiguration?view=windownsserver2022-ps&wt.mc_id=ps-gethelp

[Reset-DAClientExperienceConfiguration](#)

[Set-DAClientExperienceConfiguration](#)