



Windows PowerShell Get-Help on Cmdlet 'Get-DtcAdvancedHostSetting'

PS:\>Get-HELP Get-DtcAdvancedHostSetting -Full

NAME

Get-DtcAdvancedHostSetting

SYNOPSIS

Queries the DTC host level properties in the registry.

SYNTAX

Get-DtcAdvancedHostSetting [-AsJob] [-CimSession <CimSession[]>] -Name <String> [-Subkey <String>] [-ThrottleLimit <Int32>] [<CommonParameters>]

DESCRIPTION

The Get-DtcAdvancedHostSetting cmdlet queries the Distributed Transaction Coordinator (DTC) host level properties in the registry. The default registry location for advanced host settings is HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\MSDTC.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job

completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)` cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

`-Name <String>`

Specifies the name of the property to get.

Required?	true
-----------	------

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Subkey <String>

Specifies the subkey name for the property to get.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

NOTES

----- Example 1: Query tracing setting -----

```
PS C:\> Get-DtcAdvancedHostSetting -Name "TRACE_CM" -SubKey "Tracing\Sources"
```

255

This command queries the tracing setting for TRACE_CM.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/msdtc/get-dtcadvancedhostsetting?view=windowsserver2022-ps&wt.mc_id=powershell-gethelp

Set-DtcAdvancedHostSetting