



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-IscsiTargetPortal'

PS:\>Get-HELP Get-IscsiTargetPortal -Full

NAME

Get-IscsiTargetPortal

SYNOPSIS

Gets iSCSI target portals.

SYNTAX

```
Get-IscsiTargetPortal [[-TargetPortalAddress] <String[]>] [-AsJob] [-CimSession <CimSession[]>] [-InitiatorInstanceName  
<String[]>] [-InitiatorPortalAddress  
<String[]>] [-IsDataDigest <Boolean[]>] [-IsHeaderDigest <Boolean[]>] [-TargetPortalPortNumber <UInt16[]>]  
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-IscsiTargetPortal [-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [-iSCSICreation <CimInstance>]  
[<CommonParameters>]
```

```
Get-IscsiTargetPortal [-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [-iSCSISession <CimInstance>]  
[<CommonParameters>]
```

```
Get-IscsiTargetPortal [-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [-iSCSITarget <CimInstance>]  
[<CommonParameters>]
```

[<CommonParameters>]

DESCRIPTION

The Get-IscsiTargetPortal cmdlet gets information about iSCSI target portals.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job

completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job
(<https://go.microsoft.com/fwlink/?LinkId=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see about_Jobs
(<https://go.microsoft.com/fwlink/?LinkId=113251>).

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession] (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false

Page 2/8

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InitiatorInstanceName <String[]>

Specifies the name of the initiator instance that the iSCSI initiator service uses to send SendTargets requests to the target portal. If no instance name is specified, the iSCSI initiator service chooses the initiator instance.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-InitiatorPortalAddress <String[]>

Specifies the IP address or DNS name that is associated with the portal.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-IsDataDigest <Boolean[]>

Indicates whether this cmdlet enables data digest when the initiator logs into the target portal. If you do not specify this parameter, the digest setting is

determined by the initiator kernel mode driver.

Required? false
Position? named
Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-IsHeaderDigest <Boolean[]>

Indicates whether this cmdlet enables header digest when the initiator logs into the target portal. If you do not specify this parameter, the digest setting is determined by the initiator kernel mode driver.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TargetPortalAddress <String[]>

Specifies the IP address or DNS name of the target portal.

Required? false

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TargetPortalPortNumber <UInt16[]>

Specifies the TCP/IP port number for the target portal. By default, the port number is 3260.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-iSCSICreation <CimInstance>

Accepts a MSFT iSCSI connection object as an input. The MSFT iSCSI connection object is output from the Get-IscsiConnection cmdlet.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-iSCSISession <CimInstance>

Accepts a MSFT iSCSI session object as an input. The MSFT iSCSI session object is output from the Get-IscsiSession cmdlet.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-iSCSITarget <CimInstance>

Accepts a MSFT iSCSI target object as an input. The MSFT iSCSI target object is output from the Get-IscsiTarget cmdlet.

| | |
|-----------------------------|----------------|
| Required? | false |
| Position? | named |
| Default value | None |
| Accept pipeline input? | True (ByValue) |
| Accept wildcard characters? | false |

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT_IscsiConnection

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

Microsoft.Management.Infrastructure.CimInstance#MSFT_IscsiSession

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

Microsoft.Management.Infrastructure.CimInstance#MSFT_IscsiTarget

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT_IscsiTargetPortal

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

NOTES

--- Example 1: Get information about an iSCSI target portal ---

```
PS C:\> Get-IscsiTargetPortal -TargetPortalAddress "testIscsi"

InitiatorInstanceName      :
InitiatorNodeAddress       :
InitiatorPortalAddress     :
InititorIPAdressListNumber : 4294967295
IsDataDigest               : False
IsHeaderDigest             : False
TargetPortalAddress         : testIscsi
TargetPortalPortNumber      : 3260
```

This command gets information about the iSCSI target portal named testiSCSI.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/iscsi/get-iscsitargetportal?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

iSCSI on TechNet

Storage on TechNet <https://go.microsoft.com/fwlink/?linkid=191356>

Get-IscsiConnection

Get-IscsiSession

Get-IscsiTarget

