



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-NetIPHttpsState'

PS:\>Get-HELP Get-NetIPHttpsState -Full

NAME

Get-NetIPHttpsState

SYNOPSIS

Gets the active IP-HTTPS state of a computer.

SYNTAX

Get-NetIPHttpsState [-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]

DESCRIPTION

The Get-NetIPHttpsState cmdlet gets the active IP-HTTPS state of a computer.

If IP-HTTPS is not active, then this cmdlet does not return an object.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/?LinkId=227967>) or

[Get-CimSession] (<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

None

This cmdlet accepts no input objects.

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#root\StandardCimv2\MSFT_NetIpHTTPsState

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the

pound sign (`#`) provides the namespace and class name for the underlying WMI object.

This cmdlet returns an IP-HTTPS state object.

NOTES

----- Example 1: Get the active IP-HTTPS state -----

```
PS C:\>Get-NetIPHttpsState
```

This command gets the active IP-HTTPS state of the computer.

RELATED LINKS

https://learn.microsoft.com/powershell/module/networktransition/get-netiphhttpsstate?view=windowsserver2022-ps&wt.mc_id

=ps-gethelp

Get-NetIPHttpsConfiguration

New-NetIPHttpsConfiguration

Remove-NetIPHttpsConfiguration

Rename-NetIPHttpsConfiguration

Reset-NetIPHttpsConfiguration

Set-NetIPHttpsConfiguration