



Windows PowerShell Get-Help on Cmdlet 'Get-SFTPLocation'

PS:\>Get-HELP Get-SFTPLocation -Full

NAME

Get-SFTPLocation

SYNOPSIS

Get the current working location for a SFTP connection.

SYNTAX

Get-SFTPLocation [-SessionId] <Int32[]> [<CommonParameters>]

Get-SFTPLocation [-SFTPSession] <SftpSession[]> [<CommonParameters>]

DESCRIPTION

Get the current working location for a SFTP connection.

PARAMETERS

-SessionId <Int32[]>

SFTP Session Id of an exiting session.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-SFTPSession <SftpSession[]>

SFTP Session Object of an exiting session.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.Int32[]

SSH.SftpSession[]

OUTPUTS

NOTES

----- Example 1 -----

```
PS C:\> Get-SFTPLocation -SessionId 0  
/home/carlos
```

Get the current SFTP location a given session is executing under.

RELATED LINKS

Online Version: <https://github.com/darkoperator/Posh-SSH/tree/master/docs>