



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-VolumeScrubPolicy'

PS:\>Get-HELP Get-VolumeScrubPolicy -Full

NAME

Get-VolumeScrubPolicy

SYNOPSIS

Gets the status of the volume scrub policy.

SYNTAX

```
Get-VolumeScrubPolicy [-DriveLetter] <Char[]> [-AsJob] [-CimSession <CimSession[]>] [-ThrottleLimit <Int32>]  
[<CommonParameters>]
```

```
Get-VolumeScrubPolicy [-AsJob] [-CimSession <CimSession[]>] -FileSystemLabel <String[]> [-ThrottleLimit <Int32>]  
[<CommonParameters>]
```

```
Get-VolumeScrubPolicy [-AsJob] [-CimSession <CimSession[]>] -InputObject <CimInstance[]> [-ThrottleLimit <Int32>]  
[<CommonParameters>]
```

```
Get-VolumeScrubPolicy [-AsJob] [-CimSession <CimSession[]>] -ObjectId <String[]> [-ThrottleLimit <Int32>]  
[<CommonParameters>]
```

```
Get-VolumeScrubPolicy [-AsJob] [-CimSession <CimSession[]>] -Path <String[]> [-ThrottleLimit <Int32>]  
[<CommonParameters>]
```

DESCRIPTION

The Get-VolumeScrubPolicy cmdlet gets the status of the volume scrub policy.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DriveLetter <Char[]>

Specifies an array of letters that identify one or more drives or volumes in the system. The cmdlet gets the volume

scrub policy for the drives or volumes you specify.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-FileSystemLabel <String[]>

Specifies an array of file system labels. The cmdlet gets the volume scrub policy for the file system labels you specify.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ObjectId <String[]>

Specifies an array of IDs, as strings. The ID is not globally unique.

Required? true
Position? named
Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Path <String[]>

Specifies an array of paths. The cmdlet gets the volume scrub policy for the paths you specify.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Management.Infrastructure.CimInstance#ROOT/Microsoft/Windows/Storage/MSFT_Volume

Page 4/5

You can use the pipeline operator to pass a Volume object to the InputObject parameter.

OUTPUTS

System.Boolean

This cmdlet returns the whether the volume scrub policy is true or false.

NOTES

* When used in Failover Cluster, cmdlets from the Storage module operate on cluster level (all servers in the cluster).

----- Example 1: Get the volume scrub policy -----

```
PS C:\>Get-Volume H | Set-VolumeScrubPolicy -Enable $False
```

```
PS C:\> Get-VolumeScrubPolicy H
```

This command sets the volume scrub policy to \$False, and then gets the volume scrub policy to verify the change.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/storage/get-volumescrubpolicy?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

[Get-Volume](#)

[Set-VolumeScrubPolicy](#)