



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Get-WinDefaultInputMethodOverride'

PS:\>Get-HELP Get-WinDefaultInputMethodOverride -Full

NAME

Get-WinDefaultInputMethodOverride

SYNOPSIS

Gets the default input method override setting for the current user account.

SYNTAX

Get-WinDefaultInputMethodOverride [<CommonParameters>]

DESCRIPTION

The Get-WinDefaultInputMethodOverride cmdlet retrieves the default input method override setting, which specifies a default input method for the current user account.

If no override setting is used, the input method is dynamically determined from the language list of the current user account. For more information, see the

Get-WinUserLanguageList and Set-WinUserLanguageList cmdlets.

PARAMETERS

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

WinKeyboardObject

This cmdlet returns the Tablet Input Panel (TIP) string for the default input method override setting.

NOTES

----- Example 1: Display default input method -----

```
PS C:\> Get-WinDefaultInputMethodOverride
```

InputMethodTip	Keyboard name
----------------	---------------

-----	-----
0409:00000409	English (United States) - US

This command returns and displays the default input method for the current user account.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/international/get-windefaultinputmethodoverride?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

[Set-WinDefaultInputMethodOverride](#)

