



### ***Windows PowerShell Get-Help on Cmdlet 'Get-WinHomeLocation'***

***PS:\>Get-HELP Get-WinHomeLocation -Full***

#### **NAME**

Get-WinHomeLocation

#### **SYNOPSIS**

Gets the Windows GeoID home location setting for the current user account.

#### **SYNTAX**

Get-WinHomeLocation [<CommonParameters>]

#### **DESCRIPTION**

The Get-WinHomeLocation cmdlet gets the value of the user GeoID setting and returns a .NET GeoID object. The Windows GeoID setting is a user setting that describes the home location of the current user account. A home location is the country or region. Applications that require the home location of the current user account, such as a driver for a television tuner application, can use this setting.

For a table of GeoIDs, see Table of Geographical Locations (<https://go.microsoft.com/fwlink/?LinkID=242308>).

## PARAMETERS

### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

## OUTPUTS

### GeoID

This cmdlet returns a 32-bit signed number that uniquely identifies a geographical location.

## NOTES

----- Example 1: Display the GeoID for the current account -----

```
PS C:\> Get-WinHomeLocation
```

HomeLocation	Description
--------------	-------------

----	-----
------	-------

244	United States
-----	---------------

This command returns the GeoID setting and its display name for the current user account.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/international/get-winhomelocation?view=windowsserver2022-ps&wt.mc\\_id=powershell-gethelp](https://learn.microsoft.com/powershell/module/international/get-winhomelocation?view=windowsserver2022-ps&wt.mc_id=powershell-gethelp)

RegionInfo.Geold Property <https://go.microsoft.com/fwlink/?LinkID=242310>

Set-WinHomeLocation