



Windows PowerShell Get-Help on Cmdlet 'Get-WindowsErrorReporting'

PS:\>Get-HELP Get-WindowsErrorReporting -Full

NAME

Get-WindowsErrorReporting

SYNOPSIS

Retrieves the Windows Error Reporting status.

SYNTAX

Get-WindowsErrorReporting [<CommonParameters>]

DESCRIPTION

The Get-WindowsErrorReporting cmdlet retrieves the Windows Error Reporting (WER) status for the server.

Windows Error Reporting is a flexible feedback infrastructure that gathers information about hardware and software problems, reports the information to Microsoft, and

gives users any available solutions. Windows Error Reporting generates reports in response to system events, such as application crashes or kernel faults.

Use Enable-WindowsErrorReporting (./Enable-WindowsErrorReporting.md) to enable Windows Error Reporting. After you

enable it, WER sends information about application

failures to Microsoft. Use `Disable-WindowsErrorReporting` (`./Disable-WindowsErrorReporting.md`) to disable WER.

PARAMETERS

<CommonParameters>

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`, `OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

`System.String`

NOTES

----- Example 1: Get the Windows Error Reporting status -----

```
PS C:\> Get-WindowsErrorReporting
```

This command gets the Windows Error Reporting status, which is either enabled or disabled.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/windowerrorreporting/get-windowerrorreporting?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Disable-WindowsErrorReporting

Enable-WindowsErrorReporting