



### ***Windows PowerShell Get-Help on Cmdlet 'Import-AzConfig'***

***PS:\>Get-HELP Import-AzConfig -Full***

#### **NAME**

Import-AzConfig

#### **SYNOPSIS**

Imports configs from a file that was previously exported by `Export-AzConfig`.

#### **SYNTAX**

```
Import-AzConfig [-Path] <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]  
[-Confirm] [-WhatIf] [<CommonParameters>]
```

#### **DESCRIPTION**

The `Import-AzConfig` cmdlet imports all the configs from a file that was previously exported by `Export-AzConfig`. The imported configs will be set at the

"CurrentUser" scope, so they are consistent across PowerShell sessions.

During importing, if a config that is to be imported has already been set, its value will be overwritten.

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns a boolean value indicating success or failure.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Path <System.String>

Specifies the path to configuration saved by using Export-AzConfig.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position?                named  
Default value            False  
Accept pipeline input?    False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?                false  
Position?                named  
Default value            False  
Accept pipeline input?    False  
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,  
ErrorAction, ErrorVariable, WarningAction, WarningVariable,  
OutBuffer, PipelineVariable, and OutVariable. For more information, see  
about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Import-AzConfig -Path ./config.json
```

This example imports configs from file `./config.json`.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.accounts/import-azconfig>

Export-AzConfig