



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Install-ProvisioningPackage'***

**PS:\>Get-HELP Install-ProvisioningPackage -Full**

#### **NAME**

Install-ProvisioningPackage

#### **SYNOPSIS**

Install .PPKG package onto the local machine.

#### **SYNTAX**

```
Install-ProvisioningPackage [-PackagePath] <String> [-ConnectedDevice] [-ForceInstall] [-LogsDirectoryPath <String>]
[-QuietInstall] [-WprpFile <String>]
[<CommonParameters>]
```

#### **DESCRIPTION**

This cmdlet is used to install .ppkg files that are generated and exported by the Windows Configuration Designer tool (/windows/configuration/provisioning-packages/provisioning-install-icd).

The Install-ProvisioningPackage cmdlet is supported on Windows 11 client operating system only.

You can use this cmdlet to install a .ppkg file interactively or silently by specifying the -QuietInstall switch parameter.

The default is an interactive install.

## PARAMETERS

-ConnectedDevice [<SwitchParameter>]

Install package to removable media.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ForceInstall [<SwitchParameter>]

Force the installation of the package.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-LogsDirectoryPath <String>

Specifies the logs directory path.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PackagePath <String>

## Path to provisioning package

Required? true  
Position? 0  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

### -QuietInstall [<SwitchParameter>]

Quietly installs the package without any customer interaction.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

### -WprpFile <String>

Specifies the name of a WPR profile file.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

None

## OUTPUTS

System.Object

## NOTES

### ----- Example 1 -----

```
PS C:\> Install-ProvisioningPackage -PackagePath C:\mypackage.ppkg -QuietInstall
```

This will install the mypackage.ppkg file silently without customer interaction.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/provisioning/install-provisioningpackage?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/provisioning/install-provisioningpackage?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)