



Windows PowerShell Get-Help on Cmdlet 'Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink'

PS:\>Get-HELP Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -Full

NAME

Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink

SYNOPSIS

Forcibly removes the link to the specified database resource.

SYNTAX

```
Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -ClusterName <String> -ResourceGroupName <String>
[-SubscriptionId <String>] -Id <String[]> [-DefaultProfile
<PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>]
[-NoWait] [-PassThru] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

```
Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -ClusterName <String> -ResourceGroupName <String>
[-SubscriptionId <String>] -Parameter <IForceUnlinkParameters>
[-DefaultProfile <PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-NoWait] [-PassThru] [-Proxy <Uri>]
[-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

```

Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -InputObject <IRedisEnterpriseCacheIdentity> -Id <String[]>
[-DefaultProfile <PSObject>] [-AsJob] [-Break]

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-PassThru] [-Proxy
<Uri>] [-ProxyCredential <PSCredential>]

[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

```

```

Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -InputObject <IRedisEnterpriseCacheIdentity> -Parameter
<IForceUnlinkParameters> [-DefaultProfile <PSObject>]

[-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait]
[-PassThru] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

```

DESCRIPTION

Forcibly removes the link to the specified database resource.

PARAMETERS

-ClusterName <String>

The name of the RedisEnterprise cluster.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IRedisEnterpriseCacheIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-Parameter <IForceUnlinkParameters>

Parameters for a Redis Enterprise Active Geo Replication Force Unlink operation.

To construct, see NOTES section for PARAMETER properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-Id <String[]>

The resource IDs of the database resources to be unlinked.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns true when the command succeeds

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Confirm [<SwitchParameter>]

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.RedisEnterpriseCache.Models.Api20230301Preview.IForceUnlinkParameters

Microsoft.Azure.PowerShell.Cmdlets.RedisEnterpriseCache.Models.IRedisEnterpriseCacheIdentity

OUTPUTS

System.Boolean

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help about_Hash_Tables.

INPUTOBJECT <IRedisEnterpriseCacheIdentity>: Identity Parameter

[ClusterName <String>]: The name of the RedisEnterprise cluster.

[DatabaseName <String>]: The name of the database.

[Id <String>]: Resource identity path

[Location <String>]: The name of Azure region.

[OperationId <String>]: The ID of an ongoing async operation.

[PrivateEndpointConnectionName <String>]: The name of the private endpoint connection associated with the Azure resource

[ResourceGroupName <String>]: The name of the resource group. The name is case insensitive.

[SubscriptionId <String>]: The ID of the target subscription.

PARAMETER <IForceUnlinkParameters>: Parameters for a Redis Enterprise Active Geo Replication Force Unlink operation.

Id <String[]>: The resource IDs of the database resources to be unlinked.

----- EXAMPLE 1 -----

```
PS C:\>Invoke-AzRedisEnterpriseCacheForceDatabaseUnlink -ResourceGroupName "MyGroup" -ClusterName "MyCache3" -Id @("databaseId")
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.redisenterprise/cache/invoke-azredisenterprise/cache/forcedatabaseunlink>