



Windows PowerShell Get-Help on Cmdlet 'Invoke-AzResourceMoverBulkRemove'

PS:\>Get-HELP Invoke-AzResourceMoverBulkRemove -Full

NAME

Invoke-AzResourceMoverBulkRemove

SYNOPSIS

Removes the set of move resources included in the request body from move collection.

The orchestration is done by service.

To aid the user to prerequisite the operation the client can call operation with validateOnly property set to true.

****The 'Invoke-AzResourceMoverBulkRemove ' command remains same for both 'RegionToRegion' and 'RegionToZone' type move collections.****

SYNTAX

Invoke-AzResourceMoverBulkRemove -MoveCollectionName <String> -ResourceGroupName <String> [-SubscriptionId <String>] [-MoveResource <String[]>]

[-MoveResourceInputType <MoveResourceInputType>] [-ValidateOnly] [-DefaultProfile <PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]

[-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]

[<CommonParameters>]

DESCRIPTION

Removes the set of move resources included in the request body from move collection.

The orchestration is done by service.

To aid the user to prerequisite the operation the client can call operation with validateOnly property set to true.

****The 'Invoke-AzResourceMoverBulkRemove ' command remains same for both 'RegionToRegion' and 'RegionToZone' type move collections.****

PARAMETERS

-MoveCollectionName <String>

.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The Subscription ID.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

`-MoveResource <String[]>`

Gets or sets the list of resource Id's, by default it accepts move resource id's unless the input type is switched via `moveResourceInputType` property.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

`-MoveResourceInputType <MoveResourceInputType>`

Defines the move resource input type.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

`-ValidateOnly [<SwitchParameter>]`

Gets or sets a value indicating whether the operation needs to only run pre-requisite.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ResourceMover.Models.Api20230801.IOperationStatus

----- EXAMPLE 1 -----

```
PS C:\>Invoke-AzResourceMoverBulkRemove -ResourceGroupName "RG-MoveCollection-demoRMS"
-MoveCollectionName "PS-centralus-westcentralus-demoRMS" -MoveResource
$('PSDemoVM') -MoveResourceInputType "MoveResourceId" -ValidateOnly
```

----- EXAMPLE 2 -----

```
PS C:\>Invoke-AzResourceMoverBulkRemove -ResourceGroupName "RG-MoveCollection-demoRMS"
-MoveCollectionName "PS-centralus-westcentralus-demoRMS" -MoveResource
$('PSDemoVM') -MoveResourceInputType "MoveResourceId"
```

----- EXAMPLE 3 -----

```
PS C:\>Invoke-AzResourceMoverBulkRemove -ResourceGroupName "RG-MoveCollection-demoRMS"
-MoveCollectionName "PS-centralus-westcentralus-demoRMS" -MoveResource

$('/subscriptions/xxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/PSDemoRM/providers/Microsoft.Network/network
SecurityGroups/PSDemoVM-nsg') -MoveResourceInputType

"MoveResourceSourceId"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.resourcemover/invoke-azresourcemoverbulkremove>