



dows PowerShell Get-Help on Cmdlet 'Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation'

PS:\>Get-HELP Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation -Full

NAME

Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation

SYNOPSIS

Revalidates Database Encryption Protector AKV key

SYNTAX

```
Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation [-ResourceGroupName] <System.String>
[-ServerName] <System.String> [-AsJob] -DatabaseName
                                     <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation cmdlet revalidates Database Encryption Protector AKV key

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DatabaseName <System.String>

The name of the Azure SQL Database to revalidate.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

The name of the Azure SQL Database Server the database is in.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Object

NOTES

----- Example 1 -----

```
Invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation -DatabaseName "Database01" -ServerName  
"Server01" -ResourceGroupName "ResourceGroup01"
```

Revalidates AKV key for "Database01" on SQL server "Server01"

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.sql/invoke-AzSqlDatabaseTransparentDataEncryptionProtectorRevalidation>

