



windows PowerShell Get-Help on Cmdlet 'Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation'

PS:\>Get-HELP Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation -Full

NAME

Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation

SYNOPSIS

Revalidates the Server Encryption Protector AKV key

SYNTAX

```
Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation [-ResourceGroupName] <System.String>
[-ServerName] <System.String> [-AsJob] [-DefaultProfile]
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation cmdlet revalidates the Server Encryption Protector AKV key

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

The Azure Sql Server name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.TransparentDataEncryption.Model.AzureSqlServerTransparentDataEncryptionProtectorModel

NOTES

----- Example 1 -----

```
Invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation -ServerName "Server01" -ResourceGroupName "ResourceGroup01"
```

Revalidates AKV key for SQL server "Server01"

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.sql/invoke-AzSqlServerTransparentDataEncryptionProtectorRevalidation>