



Windows PowerShell Get-Help on Cmdlet 'Move-AzDataLakeStoreItem'

PS: \> Get-HELP Move-AzDataLakeStoreItem -Full

NAME

Move-AzDataLakeStoreItem

SYNOPSIS

Moves or renames a file or folder in Data Lake Store.

SYNTAX

```
Move-AzDataLakeStoreItem [-Account] <System.String> [-Path]
<Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance> [-Destination]
<Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance> [[-Force]] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Move-AzDataLakeStoreItem cmdlet moves or renames a file or folder in Data Lake Store.

PARAMETERS

-Account <System.String>

Specifies the name of the Data Lake Store account.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Destination <Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance>

Specifies the Data Lake Store path to which to move the item, starting with the root directory (/).

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Indicates that this operation can overwrite the destination file if it already exists.

Required? false

Position? 3

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Path <Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance>

Specifies the Data Lake Store path of the item to move or rename, starting with the root directory (/).

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.DataLakeStore.Models.DataLakeStorePathInstance

System.Management.Automation.SwitchParameter

OUTPUTS

System.String

NOTES

----- Example 1: Move and rename an item -----

```
Move-AzDataLakeStoreItem -AccountName "ContosoADL" -Path "/Original/Path/File.txt" -Destination  
"/New/Path/RenamedFile.txt"
```

This command renames the item File.txt to RenamedFile.txt and moves it to a different folder.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datalakestore/move-azdatalakestoreitem>

Get-AzDataLakeStoreItem

Export-AzDataLakeStoreItem

Import-AzDataLakeStoreItem

New-AzDataLakeStoreItem

Remove-AzDataLakeStoreItem

Test-AzDataLakeStoreItem