



Windows PowerShell Get-Help on Cmdlet 'New-AzActionGroupAutomationRunbookReceiverObject'

PS:\>Get-HELP New-AzActionGroupAutomationRunbookReceiverObject -Full

NAME

New-AzActionGroupAutomationRunbookReceiverObject

SYNOPSIS

Create an in-memory object for AutomationRunbookReceiver.

SYNTAX

New-AzActionGroupAutomationRunbookReceiverObject -AutomationAccountId <String> -IsGlobalRunbook <Boolean>
-RunbookName <String> -WebhookResourceId <String> [-Name
<String>] [-ServiceUri <String>] [-UseCommonAlertSchema <Boolean>] [<CommonParameters>]

DESCRIPTION

Create an in-memory object for AutomationRunbookReceiver.

PARAMETERS

-AutomationAccountId <String>

The Azure automation account Id which holds this runbook and authenticate to Azure resource.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-IsGlobalRunbook <Boolean>

Indicates whether this instance is global runbook.

Required? true
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-RunbookName <String>

The name for this runbook.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-WebhookResourceId <String>

The resource id for webhook linked to this runbook.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Name <String>

Indicates name of the webhook.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ServiceUri <String>

The URI where webhooks should be sent.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-UseCommonAlertSchema <Boolean>

Indicates whether to use common alert schema.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Monitor.ActionGroup.Models.AutomationRunbookReceiver

----- EXAMPLE 1 -----

```
PS C:\>New-AzActionGroupAutomationRunbookReceiverObject -AutomationAccountId
```

```
"/subscriptions/187f412d-1758-44d9-b052-169e2564721d/resourceGroups/runbookTest/providers/Microsoft.Automation/aut  
omationAccounts/runbooktest" -RunbookName "sample
```

```
runbook" -WebhookResourceId
```

```
"/subscriptions/187f412d-1758-44d9-b052-169e2564721d/resourceGroups/runbookTest/providers/Microsoft.Automation/aut  
omationAccounts/runbookte
```

```
st/webhooks/Alert1510184037084" -Name "testRunbook" -UseCommonAlertSchema $true -IsGlobalRunbook $false
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Monitor/new-azactiongroupautomationrunbookreceiverobject>