



## ***Windows PowerShell Get-Help on Cmdlet 'New-AzActionGroupAzureAppPushReceiverObject'***

***PS:\>Get-HELP New-AzActionGroupAzureAppPushReceiverObject -Full***

### NAME

New-AzActionGroupAzureAppPushReceiverObject

### SYNOPSIS

Create an in-memory object for AzureAppPushReceiver.

### SYNTAX

New-AzActionGroupAzureAppPushReceiverObject -EmailAddress <String> -Name <String> [<CommonParameters>]

### DESCRIPTION

Create an in-memory object for AzureAppPushReceiver.

### PARAMETERS

-EmailAddress <String>

The email address registered for the Azure mobile app.

Required?            true

Position?            named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

**-Name <String>**

The name of the Azure mobile app push receiver.  
Names must be unique across all receivers within an action group.

Required?            true  
Position?            named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug,  
ErrorAction, ErrorVariable, WarningAction, WarningVariable,  
OutBuffer, PipelineVariable, and OutVariable. For more information, see  
about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

**INPUTS**

**OUTPUTS**

Microsoft.Azure.PowerShell.Cmdlets.Monitor.ActionGroup.Models.AzureAppPushReceiver

----- EXAMPLE 1 -----

```
PS C:\>New-AzActionGroupAzureAppPushReceiverObject -EmailAddress "johndoe@email.com" -Name "Sample  
azureAppPush"
```

#### RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Monitor/new-azactiongroupazureapppushreceiverobject>