



Windows PowerShell Get-Help on Cmdlet 'New-AzActionGroupWebhookReceiverObject'

PS:\>Get-HELP New-AzActionGroupWebhookReceiverObject -Full

NAME

New-AzActionGroupWebhookReceiverObject

SYNOPSIS

Create an in-memory object for WebhookReceiver.

SYNTAX

```
New-AzActionGroupWebhookReceiverObject -Name <String> -ServiceUri <String> [-IdentifierUri <String>] [-ObjectId  
<String>] [-TenantId <String>] [-UseAadAuth <Boolean>]  
[-UseCommonAlertSchema <Boolean>] [<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for WebhookReceiver.

PARAMETERS

-Name <String>

The name of the webhook receiver.

Names must be unique across all receivers within an action group.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ServiceUri <String>

The URI where webhooks should be sent.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentifierUri <String>

Indicates the identifier uri for aad auth.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ObjectId <String>

Indicates the webhook app object Id for aad auth.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TenantId <String>

Indicates the tenant id for aad auth.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-UseAadAuth <Boolean>

Indicates whether or not use AAD authentication.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-UseCommonAlertSchema <Boolean>

Indicates whether to use common alert schema.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Monitor.ActionGroup.Models.WebhookReceiver

----- EXAMPLE 1 -----

```
PS C:\>New-AzActionGroupWebhookReceiverObject -Name "sample webhook" -ServiceUri
"http://www.example.com/webhook1" -IdentifierUri
"http://someidentifier/d7811ba3-7996-4a93-99b6-6b2f3f355f8a" -ObjectId "d3bb868c-fe44-452c-aa26-769a6538c808"
-TenantId 68a4459a-ccb8-493c-b9da-dd30457d1b84
-UseAadAuth $true -UseCommonAlertSchema $true
```

----- EXAMPLE 2 -----

```
PS C:\>New-AzActionGroupWebhookReceiverObject -Name "sample webhook" -ServiceUri
"http://www.example.com/webhook2"
```

