



Windows PowerShell Get-Help on Cmdlet 'New-AzApiManagementResourceLocationObject'

PS:\>Get-HELP New-AzApiManagementResourceLocationObject -Full

NAME

New-AzApiManagementResourceLocationObject

SYNOPSIS

Create a new resource location contract (used in Gateways).

SYNTAX

```
New-AzApiManagementResourceLocationObject [-City <System.String>] [-CountryOrRegion <System.String>]
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-District
    <System.String>] -Name <System.String> [<CommonParameters>]
```

DESCRIPTION

The New-AzApiManagementResourceLocationObject cmdlet create a new resource location contract (used in Gateways).

-City <System.String>

Location City. This parameter is optional.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-CountryOrRegion <System.String>

Location Country or Region. This parameter is optional.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-District <System.String>

Location District. This parameter is optional.

Required? false

Position? named

Default value None

Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

Location Name. This parameter is required.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementResourceLocation

NOTES

----- Example 1: Create a resource location contract -----

```
$location = New-AzApiManagementResourceLocationObject -Name "n1" -City "c1" -District "d1" -CountryOrRegion "r1"
```

This command creates a resource location.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/new-azapimanagementresourcelocationobject>