



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationGatewayFirewallDisabledRuleGroupConfig'

PS: \> Get-HELP New-AzApplicationGatewayFirewallDisabledRuleGroupConfig -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzApplicationGatewayFirewallDisabledRuleGroupConfig

SYNOPSIS

Creates a new disabled rule group configuration.

SYNTAX

```
New-AzApplicationGatewayFirewallDisabledRuleGroupConfig [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
-RuleGroupName <System.String> [-Rules <System.Int32[]>] [<CommonParameters>]
```

DESCRIPTION

The New-AzApplicationGatewayFirewallDisabledRuleGroupConfig cmdlet creates a new disabled rule group configuration.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RuleGroupName <System.String>

The name of the rule group that will be disabled.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Rules <System.Int32[]>

The list of rules that will be disabled. If null, all rules of the rule group will be disabled.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayFirewallDisabledRuleGroup

NOTES

----- Example 1 -----

```
$disabledRuleGroup1 = New-AzApplicationGatewayFirewallDisabledRuleGroupConfig -RuleGroupName  
"REQUEST-942-APPLICATION-ATTACK-SQLI" -Rules 942130,942140
```

The command creates a new disabled rule group configuration for the rule group named "REQUEST-942-APPLICATION-ATTACK-SQLI" with rule 942130 and rule 942140 being disabled. The new disabled rule group configuration is saved in \$disabledRuleGroup1.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/new-azapplicationgatewayfirewalldisabledrulegroupconfig>

New-AzApplicationGatewayWebApplicationFirewallConfiguration

Page 3/4

