



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationGatewayFirewallPolicyManagedRuleOverride'

PS: \> Get-HELP New-AzApplicationGatewayFirewallPolicyManagedRuleOverride -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzApplicationGatewayFirewallPolicyManagedRuleOverride

SYNOPSIS

Creates a managedRuleOverride entry for RuleGroupOverrideGroup entry.

SYNTAX

```
New-AzApplicationGatewayFirewallPolicyManagedRuleOverride [-Action {AnomalyScoring | Allow | Block | Log}]
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -RuleId
<System.String> [-State {Disabled | Enabled}] [<CommonParameters>]
```

DESCRIPTION

The New-AzApplicationGatewayFirewallPolicyManagedRuleOverride creates a ruleOverride entry.

PARAMETERS

-Action <System.String>

Specify the Action in override rule entry.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RuleId <System.String>

Specify the RuleId in override rule entry.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-State <System.String>

Specify the RuleId in override rule entry.

Required?	false
Position?	named
Default value	Disabled
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayFirewallPolicyManagedRuleOverride

NOTES

----- Example 1 -----

```
$ruleOverrideEntry = New-AzApplicationGatewayFirewallPolicyManagedRuleOverride -RuleId $ruleId -State Disabled
```

Creates a ruleOverride Entry with RuleId as \$ruleId and State as Disabled.

----- Example 2 -----

```
$ruleOverrideEntry = New-AzApplicationGatewayFirewallPolicyManagedRuleOverride -RuleId $ruleId -State Enabled  
-Action Log
```

Creates a ruleOverride Entry with RuleId as \$ruleId, State as Enabled and Action as Log.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/new-azapplicationgatewayfirewallpolicymanagedruleoverride>