



## ***Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationGatewayRewriteRule'***

***PS:\>Get-HELP New-AzApplicationGatewayRewriteRule -Full***

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

### **NAME**

New-AzApplicationGatewayRewriteRule

### **SYNOPSIS**

Creates a rewrite rule for an application gateway.

### **SYNTAX**

```

New-AzApplicationGatewayRewriteRule -ActionSet
<Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayRewriteRuleActionSet> [-Condition
  <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayRewriteRuleCondition[]>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
  <System.String> [-RuleSequence <System.Int32>] [<CommonParameters>]
```

### **DESCRIPTION**

The New-AzApplicationGatewayRewriteRule cmdlet creates a rewrite rule for an Azure application gateway.

## PARAMETERS

**-ActionSet** <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayRewriteRuleActionSet>

ActionSet of the rewrite rule

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-Condition** <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayRewriteRuleCondition[]>

Condition for the rewrite rule to execute

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-DefaultProfile** <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-Name** <System.String>

The name of the RewriteRule

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

**-RuleSequence <System.Int32>**

The rule ordering of this rewrite rule in the rewrite rule set

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

**INPUTS**

None

**OUTPUTS**

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayRewriteRule

- Example 1 : Create a rewrite rule for an application gateway -

```
$rule = New-AzApplicationGatewayRewriteRule -Name rule1 -ActionSet $action -RuleSequence 101 -Condition $condition
```

This command creates a rewrite rule named rule1 and stores the result in the variable named \$rule.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/new-azapplicationgatewayrewriterule>

Add-AzApplicationGatewayRewriteRuleSet

Get-AzApplicationGatewayRewriteRuleSet

New-AzApplicationGatewayRewriteRuleSet

Remove-AzApplicationGatewayRewriteRuleSet

Set-AzApplicationGatewayRewriteRuleSet

New-AzApplicationGatewayRewriteRuleActionSet

New-AzApplicationGatewayRewriteRuleHeaderConfiguration