



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationGatewayRewriteRuleHeaderConfiguration'

PS:\>Get-HELP New-AzApplicationGatewayRewriteRuleHeaderConfiguration -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzApplicationGatewayRewriteRuleHeaderConfiguration

SYNOPSIS

Creates a rewrite rule header configuration for an application gateway.

SYNTAX

```

New-AzApplicationGatewayRewriteRuleHeaderConfiguration [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-HeaderName <System.String> [-HeaderValue <System.String>] [-HeaderValueMatcher
<Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHeaderValueMatcher>]
[<CommonParameters>]
```

DESCRIPTION

The `AzApplicationGatewayRewriteRuleHeaderConfiguration` cmdlet creates a rewrite rule action set for an Azure application gateway.

PARAMETERS

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-HeaderName <System.String>`

Name of the Header to rewrite

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-HeaderValue <System.String>`

Header value to the set for the given header name. Header will be deleted if this is omitted

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-HeaderValueMatcher <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHeaderValueMatcher>`

An optional field under 'Rewrite Action'. It lets you capture and modify the value(s) of a specific header when multiple headers with the same name exist.

Currently supported for Set-Cookie Response header only. For more details, visit <https://aka.ms/appgwheadercrud>

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHeaderConfiguration

NOTES

----- Example 1 -----

```
$hc = New-AzApplicationGatewayRewriteRuleHeaderConfiguration -HeaderName abc -HeaderValue def
```

This command creates a rewrite rule header configuration and stores the result in the variable named \$hc.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/new-azapplicationgatewayrewriteruleheaderconfiguration>

Add-AzApplicationGatewayRewriteRuleSet

Get-AzApplicationGatewayRewriteRuleSet

New-AzApplicationGatewayRewriteRuleSet

Remove-AzApplicationGatewayRewriteRuleSet

Set-AzApplicationGatewayRewriteRuleSet

New-AzApplicationGatewayRewriteRule

New-AzApplicationGatewayRewriteRuleActionSet

New-AzApplicationGatewayHeaderValueMatcher