



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationGatewayTrustedClientCertificate'

PS: \> Get-HELP New-AzApplicationGatewayTrustedClientCertificate -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzApplicationGatewayTrustedClientCertificate

SYNOPSIS

Creates a trusted client CA certificate chain for an application gateway.

SYNTAX

```
New-AzApplicationGatewayTrustedClientCertificate -CertificateFile <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name  
<System.String> [<CommonParameters>]
```

DESCRIPTION

The New-AzApplicationGatewayTrustedClientCertificate cmdlet creates a trusted client CA certificate chain for an application gateway.

PARAMETERS

-CertificateFile <System.String>

Path of the trusted client CA certificate chain file

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the trusted client CA certificate chain

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayTrustedClientCertificate

NOTES

----- Example 1 -----

```
$trustedClient = New-AzApplicationGatewayTrustedClientCertificate -Name "ClientCert" -CertificateFile  
"C:\clientCAChain.cer"
```

The command creates a new trusted client CA certificate chain object taking path of the client CA certificate as input.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/new-azapplicationgatewaytrustedclientcertificate>

Add-AzApplicationGatewayTrustedClientCertificate

Get-AzApplicationGatewayTrustedClientCertificate

Remove-AzApplicationGatewayTrustedClientCertificate

