



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationInsightsMyWorkbook'

PS:\>Get-HELP New-AzApplicationInsightsMyWorkbook -Full

NAME

New-AzApplicationInsightsMyWorkbook

SYNOPSIS

Create a new private workbook.

SYNTAX

```
New-AzApplicationInsightsMyWorkbook -Name <String> -ResourceGroupName <String> [-SubscriptionId <String>]
[-LinkedSourceId <String>] [-Category <String>]
[-DisplayName <String>] [-Etag <Hashtable>] [-Id <String>] [-IdentityType <String>] [-Location <String>] [-SerializedData
<String>] [-SourceId <String>] [-SourceTag
<String[]>] [-StorageUri <String>] [-Tag <Hashtable>] [-Type <String>] [-Version <String>] [-DefaultProfile <PSObject>]
[-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

DESCRIPTION

Create a new private workbook.

PARAMETERS

-Name <String>

The name of the Application Insights component resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-LinkedSourceId <String>

Azure Resource Id that will fetch all linked workbooks.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Category <String>

Workbook category, as defined by the user at creation time.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DisplayName <String>

The user-defined name of the private workbook.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Etag <Hashtable>

Resource etag

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Id <String>

Azure resource Id

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentityType <String>

The identity type.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Location <String>

Resource location

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SerializedData <String>

Configuration of this particular private workbook.

Configuration data is a string containing valid JSON

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-SourceId <String>

Optional resourceId for a source resource.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-SourceTag <String[]>

A list of 0 or more tags that are associated with this private workbook definition

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-StorageUri <String>

BYOS Storage Account URI

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Tag <Hashtable>

Resource tags

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Type <String>

Azure resource type

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Version <String>

This instance's version of the data model.

This can change as new features are added that can be marked private workbook.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20210308.IMyWorkbook

----- EXAMPLE 1 -----

PS C:\># The value of the parameter name is the Guid type.

```
$name = (New-Guid).ToString()
```

```
New-AzApplicationInsightsMyWorkbook -ResourceGroupName appinsights-hkrs2v-test -Name $name -Location westus2  
-DisplayName "$name-display" -SourceId  
"/subscriptions/9e223dbe-3399-4e19-88eb-0975f02ac87f/resourcegroups/appinsights-hkrs2v-test/providers/microsoft.insight  
s/components/appinsights-48mah3-pwsh" -Category  
'workbook' -SerializedData $null
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.applicationinsights/new-azapplicationinsightsmyworkbook>