



Windows PowerShell Get-Help on Cmdlet 'New-AzApplicationInsightsWorkbook'

PS:\>Get-HELP New-AzApplicationInsightsWorkbook -Full

NAME

New-AzApplicationInsightsWorkbook

SYNOPSIS

Create a new workbook.

SYNTAX

```
New-AzApplicationInsightsWorkbook -Name <String> -ResourceGroupName <String> [-SubscriptionId <String>]
[-LinkedSourceId <String>] -Location <String> [-Category
<String>] [-Description <String>] [-DisplayName <String>] [-Etag <String>] [-IdentityType <ManagedServiceIdentityType>]
[-IdentityUserAssignedIdentity <Hashtable>]
[-SerializedData <String>] [-SourceId <String>] [-SourceTag <String[]>] [-StorageUri <String>] [-Tag <Hashtable>]
[-Version <String>] [-DefaultProfile <PSObject>]
[-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>]
[-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

Create a new workbook.

PARAMETERS

-Name <String>

The name of the resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-LinkedSourceId <String>

Azure Resource Id that will fetch all linked workbooks.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Location <String>

The geo-location where the resource lives

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Category <String>

Workbook category, as defined by the user at creation time.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Description <String>

The description of the workbook.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DisplayName <String>

The user-defined name (display name) of the workbook.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Etag <String>

Resource etag

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentityType <ManagedServiceIdentityType>

Type of managed service identity (where both SystemAssigned and UserAssigned types are allowed).

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentityUserAssignedIdentities <Hashtable>

The set of user assigned identities associated with the resource.

The userAssignedIdentities dictionary keys will be ARM resource ids in the form:

'/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.ManagedIdentity/userAssignedIdentities/{identityName}.

The dictionary values can be empty objects ({}) in requests.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SerializedData <String>

Configuration of this particular workbook.

Configuration data is a string containing valid JSON

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SourceId <String>

ResourceId for a source resource.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SourceTag <String[]>

Being deprecated, please use the other tags field

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-StorageUri <String>

The resourceId to the storage account when bring your own storage is used

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Tag <Hashtable>

Resource tags.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Version <String>

Workbook schema version format, like 'Notebook/1.0', which should match the workbook in serializedData

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20220401.IWorkbook

----- EXAMPLE 1 -----

PS C:\>\$name = (New-Guid).ToString()

New-AzApplicationInsightsWorkbook -ResourceGroupName appinsights-hkrs2v-test -Name \$name -Location westus2
-DisplayName "\$name-display" -SourceId

s/components/appinsights-48mah3-pwsh" -Category

'workbook' -SerializedData \$null

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.applicationinsights/new-azapplicationinsightsworkbook>