



Windows PowerShell Get-Help on Cmdlet 'New-AzCognitiveServicesAccountKey'

PS:\>Get-HELP New-AzCognitiveServicesAccountKey -Full

NAME

New-AzCognitiveServicesAccountKey

SYNOPSIS

Regenerates an account key.

SYNTAX

```
New-AzCognitiveServicesAccountKey [-ResourceGroupName] <System.String> [-Name] <System.String> [-KeyName]
{Key1 | Key2} [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The New-AzCognitiveServicesAccountKey cmdlet regenerates an API key for a Cognitive Services account.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-KeyName <Microsoft.Azure.Management.CognitiveServices.Models.KeyName>

Specifies the name of the key to regenerate. The acceptable values for this parameter are: - Key1

- Key2

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Name <System.String>

Specifies the name of the account.

Required? true
Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group the account is assigned to.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Management.CognitiveServices.Models.KeyName

OUTPUTS

```
Microsoft.Azure.Management.CognitiveServices.Models.CognitiveServicesAccountKeys
```

NOTES

----- Example 1 -----

```
New-AzCognitiveServicesAccountKey -ResourceGroupName cognitive-services-resource-group -name myluis -keyname Key1
```

Key1 Key2

— — — — —

[illegible]

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.cognitiveservices/new-azcognitiveservicesaccountkey>

`Get-AzCognitiveServicesAccountKey`