



Windows PowerShell Get-Help on Cmdlet 'New-AzContainerAppCustomDomainObject'

PS:\>Get-HELP New-AzContainerAppCustomDomainObject -Full

NAME

New-AzContainerAppCustomDomainObject

SYNOPSIS

Create an in-memory object for CustomDomain.

SYNTAX

New-AzContainerAppCustomDomainObject -Name <String> [-BindingType <String>] [-CertificateId <String>]
[<CommonParameters>]

DESCRIPTION

Create an in-memory object for CustomDomain.

PARAMETERS

-Name <String>

Hostname.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-BindingType <String>

Custom Domain binding type.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-CertificateId <String>

Resource Id of the Certificate to be bound to this hostname.
Must exist in the Managed Environment.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.App.Models.CustomDomain

----- EXAMPLE 1 -----

```
PS C:\>$certificateId = (Get-AzContainerAppManagedEnvCert -EnvName azps-env -ResourceGroupName  
azps_test_group_app -Name azps-env-cert).Id
```

```
New-AzContainerAppCustomDomainObject -Name "www.my-name.com" -BindingType "SniEnabled" -CertificateId  
$certificateId
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.App/new-azcontainerappcustomdomainobject>