



Windows PowerShell Get-Help on Cmdlet 'New-AzContainerAppDaprMetadataObject'

PS:\>Get-HELP New-AzContainerAppDaprMetadataObject -Full

NAME

New-AzContainerAppDaprMetadataObject

SYNOPSIS

Create an in-memory object for DaprMetadata.

SYNTAX

New-AzContainerAppDaprMetadataObject [-Name <String>] [-SecretRef <String>] [-Value <String>]

[<CommonParameters>]

DESCRIPTION

Create an in-memory object for DaprMetadata.

PARAMETERS

-Name <String>

Metadata property name.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-SecretRef <String>

Name of the Dapr Component secret from which to pull the metadata property value.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Value <String>

Metadata property value.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

----- EXAMPLE 1 -----

```
PS C:\>New-AzContainerAppDaprMetadataObject -Name "masterkey" -Value "masterkey"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.App/new-azcontainerappdaprmetadataobject>