



### ***Windows PowerShell Get-Help on Cmdlet 'New-AzContainerAppSecretObject'***

***PS:\>Get-HELP New-AzContainerAppSecretObject -Full***

#### **NAME**

New-AzContainerAppSecretObject

#### **SYNOPSIS**

Create an in-memory object for Secret.

#### **SYNTAX**

New-AzContainerAppSecretObject [-Identity <String>] [-KeyVaultUrl <String>] [-Name <String>] [-Value <String>]  
[<CommonParameters>]

#### **DESCRIPTION**

Create an in-memory object for Secret.

#### **PARAMETERS**

-Identity <String>

Resource ID of a managed identity to authenticate with Azure Key Vault, or System to use a system-assigned identity.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

-KeyVaultUrl <String>

Azure Key Vault URL pointing to the secret referenced by the container app.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

-Name <String>

Secret Name.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

-Value <String>

Secret Value.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

## OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.App.Models.Secret

### ----- EXAMPLE 1 -----

```
PS C:\>New-AzContainerAppSecretObject -Name "redis-secret" -Value "redis-password"
```

## RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.App/new-azcontainerappsecretobject>