



Windows PowerShell Get-Help on Cmdlet 'New-AzContainerInstanceVolumeMountObject'

PS:\>Get-HELP New-AzContainerInstanceVolumeMountObject -Full

NAME

New-AzContainerInstanceVolumeMountObject

SYNOPSIS

Create a in-memory object for VolumeMount

SYNTAX

New-AzContainerInstanceVolumeMountObject -MountPath <String> -Name <String> [-ReadOnly <Boolean>]
[<CommonParameters>]

DESCRIPTION

Create a in-memory object for VolumeMount

PARAMETERS

-MountPath <String>

The path within the container where the volume should be mounted.

Must not contain colon (:).

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Name <String>

The name of the volume mount.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ReadOnly <Boolean>

The flag indicating whether the volume mount is read-only.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ContainerInstance.Models.Api20221001Preview.VolumeMount

----- EXAMPLE 1 -----

```
PS C:\>New-AzContainerInstanceVolumeMountObject -Name "mnt" -MountPath "/mnt/azfile" -ReadOnly $true
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.ContainerInstance/new-AzContainerInstanceVolumeMountObject>