



Windows PowerShell Get-Help on Cmdlet 'New-AzCosmosDBCassandraClusterKey'

PS:\>Get-HELP New-AzCosmosDBCassandraClusterKey -Full

NAME

New-AzCosmosDBCassandraClusterKey

SYNOPSIS

Creates a new CosmosDB Cassandra Cluster Key.

SYNTAX

```
New-AzCosmosDBCassandraClusterKey [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>  
  
-OrderBy <System.String> [<CommonParameters>]
```

DESCRIPTION

The New-AzCosmosDBCassandraClusterKey creates a new CosmosDB Cassandra Cluster Key.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Name <System.String>

Name of Cassandra Cluster Key.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-OrderBy <System.String>

Ordering of Cassandra Cluster key. Possible values include: 'Asc', 'Desc'

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

None

OUTPUTS

Microsoft.Azure.Commands.CosmosDB.Models.PSClusterKey

NOTES

----- Example 1 -----

New-AzCosmosDBCassandraClusterKey -Name "name" -OrderBy "Asc"

Name	OrderBy
------	---------

----	-----
------	-------

{name}	Asc
--------	-----

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.cosmosdb/new-azcosmosdbcassandraclusterkey>