



Windows PowerShell Get-Help on Cmdlet 'New-AzDataFactoryGatewayAuthKey'

PS:\>Get-HELP New-AzDataFactoryGatewayAuthKey -Full

NAME

New-AzDataFactoryGatewayAuthKey

SYNTAX

```
New-AzDataFactoryGatewayAuthKey [-ResourceGroupName] <string> [-DataFactoryName] <string> [-GatewayName]
<string> [-KeyName] {key1 | key2} [-DefaultProfile
<IAzureContextContainer>] [-WhatIf] [-Confirm] [<CommonParameters>]
```

```
New-AzDataFactoryGatewayAuthKey [-InputObject] <PSDataFactory> [-GatewayName] <string> [-KeyName] {key1 |
key2} [-DefaultProfile <IAzureContextContainer>] [-WhatIf]
[-Confirm] [<CommonParameters>]
```

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)

Aliases	cf
Dynamic?	false

-DataFactoryName <string>

The data factory name.

Required?	true
Position?	1
Accept pipeline input?	true (ByPropertyName)
Parameter set name	ByFactoryName
Aliases	None
Dynamic?	false

-DefaultProfile <IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	AzContext, AzureRmContext, AzureCredential
Dynamic?	false

-GatewayName <string>

The data factory gateway name.

Required?	true
Position?	2
Accept pipeline input?	true (ByPropertyName)
Parameter set name	(All)
Aliases	None
Dynamic?	false

-InputObject <PSDataFactory>

The data factory object.

Required?	true
Position?	0
Accept pipeline input?	true (ByValue)
Parameter set name	ByFactoryObject
Aliases	DataFactory
Dynamic?	false

-KeyName <string>

The name of gateway auth key to be regenerated, either 'key1' or 'key2'.

Required?	true
Position?	3
Accept pipeline input?	true (ByPropertyName)
Parameter set name	(All)
Aliases	None
Dynamic?	false

-ResourceGroupName <string>

The resource group name.

Required?	true
Position?	0
Accept pipeline input?	true (ByPropertyName)
Parameter set name	ByFactoryName
Aliases	None
Dynamic?	false

-WhatIf

Required?	false
-----------	-------

Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	wi
Dynamic?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.DataFactories.Models.PSDataFactory
System.String

OUTPUTS

Microsoft.Azure.Commands.DataFactories.Models.PSDataFactoryGatewayAuthKey

ALIASES

None

REMARKS

None