



Windows PowerShell Get-Help on Cmdlet 'New-AzDataProtectionResourceGuard'

PS:\>Get-HELP New-AzDataProtectionResourceGuard -Full

NAME

New-AzDataProtectionResourceGuard

SYNOPSIS

Creates a resource guard under a resource group

SYNTAX

```
New-AzDataProtectionResourceGuard -ResourceGroupName <String> -Name <String> -Location <String>
[-SubscriptionId <String>] [-ETag <String>] [-IdentityType <String>]
[-Tag <Hashtable>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>]
[-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

DESCRIPTION

Creates a resource guard under a resource group

-ResourceGroupName <String>

Resource Group name of the resource guard

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

Name of the resource guard

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Location <String>

Location of the resource guard

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Subscription Id of the resource guard

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ETag <String>

Optional ETag

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-IdentityType <String>

This parameter is no longer in use and will be deprecated

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Tag <Hashtable>

Resource tags

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

Required? false
Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataProtection.Models.Api20240401.IResourceGuardResource

----- EXAMPLE 1 -----

```
PS C:\>New-AzDataProtectionResourceGuard -SubscriptionId "xxxxxxxx-xxxx-xxxx-xxxxxxxxxxxx"
-ResourceGroupName "mua-rg" -Name "mua-resource-guard" -Location
"centraluseuap"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.dataprotection/new-azdataprotectionresourceguard>