



Windows PowerShell Get-Help on Cmdlet 'New-AzDataShareAccount'

PS:\>Get-HELP New-AzDataShareAccount -Full

NAME

New-AzDataShareAccount

SYNOPSIS

Creates new data share account

SYNTAX

```
New-AzDataShareAccount [-AsJob] [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Location  
<System.String>  
-Name <System.String> -ResourceGroupName <System.String> [-Tag <System.Collections.Hashtable>] [-Confirm]  
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

New-AzDataShareAccount cmdlet creates a datashare account in the specified Azure resource group.

-AsJob <System.Management.Automation.SwitchParameter>

{{Fill AsJob Description}}

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Location <System.String>

The location in which to create the data share account.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Azure data share account name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name of the azure data share account will be created in.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Tag <System.Collections.Hashtable>

The tags to associate with the azure data share account.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataShare.Models.PSDataShareAccount

NOTES

----- Example 1 -----

New-AzDataShareAccount -ResourceGroupName "ADS" -Name "WikiADS" -Location "WestUS"

DataShareAccountName : WikiADS

ResourceGroupName : ADS

Location : WestUS

ProvisioningState : Succeeded

Tags : {}

Identity : Microsoft.Azure.PowerShell.Cmdlets.DataShare.Models.PSIdentity

Type : Microsoft.DataShare/accounts

Id :

/subscriptions/4834da9b-787a-44f6-ae81-60707ab8c957/resourceGroups/ADS/providers/Microsoft.DataShare/accounts/WikiADS

Creates an account named "WikiADS" in resource group "ADS"

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.datashare/new-azdatashareaccount>