



Windows PowerShell Get-Help on Cmdlet 'New-AzDataBricksWorkspaceProviderAuthorizationObject'

PS:\>Get-HELP New-AzDataBricksWorkspaceProviderAuthorizationObject -Full

NAME

New-AzDataBricksWorkspaceProviderAuthorizationObject

SYNOPSIS

Create an in-memory object for WorkspaceProviderAuthorization.

SYNTAX

New-AzDataBricksWorkspaceProviderAuthorizationObject -PrincipalId <String> -RoleDefinitionId <String>
[<CommonParameters>]

DESCRIPTION

Create an in-memory object for WorkspaceProviderAuthorization.

PARAMETERS

-PrincipalId <String>

The provider's principal identifier.

This is the identity that the provider will use to call ARM to manage the workspace resources.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-RoleDefinitionId <String>

The provider's role definition identifier.

This role will define all the permissions that the provider must have on the workspace's container resource group.

This role definition cannot have permission to delete the resource group.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Databricks.Models.Api20230201.WorkspaceProviderAuthorization

----- EXAMPLE 1 -----

-RoleDefinitionId 2124844c-7e23-48cc-bc52-a3af25f7a4ae

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Databricks/new-AzDatabricksWorkspaceProviderAuthorizationObject>