



Windows PowerShell Get-Help on Cmdlet 'New-AzDnsResolverOutboundEndpoint'

PS:\>Get-HELP New-AzDnsResolverOutboundEndpoint -Full

NAME

New-AzDnsResolverOutboundEndpoint

SYNOPSIS

Creates or updates an outbound endpoint for a DNS resolver.

SYNTAX

```
New-AzDnsResolverOutboundEndpoint -DnsResolverName <String> -Name <String> -ResourceGroupName <String>
[-SubscriptionId <String>] [-IfMatch <String>] [-IfNoneMatch
<String>] -Location <String> -SubnetId <String> [-Tag <Hashtable>] [-DefaultProfile <PSObject>] [-AsJob] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

DESCRIPTION

Creates or updates an outbound endpoint for a DNS resolver.

PARAMETERS

-DnsResolverName <String>

The name of the DNS resolver.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of the outbound endpoint for the DNS resolver.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-IfMatch <String>

ETag of the resource.
Omit this value to always overwrite the current resource.
Specify the last-seen ETag value to prevent accidentally overwriting any concurrent changes.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-IfNoneMatch <String>

Set to '*' to allow a new resource to be created, but to prevent updating an existing resource.
Other values will be ignored.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Location <String>

The geo-location where the resource lives

Required? true
Position? named
Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubnetId <String>

Resource ID.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Tag <Hashtable>

Resource tags.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DnsResolver.Models.Api20220701.IOutboundEndpoint

```
PS C:\>New-AzDnsResolverOutboundEndpoint -DnsResolverName sampleResolver -Name sampleOutboundEndpoint
-ResourceGroupName powershell-test-rg -SubscriptionId
ea40042d-63d8-4d02-9261-fb31450e6c67 -SubnetId
"/subscriptions/0e5a46b1-de0b-4ec3-a5d7-dda908b4e076/resourceGroups/powershell-test-08b4e076/resourceGroups/pow
ershell-t
est-rg/providers/Microsoft.Network/virtualNetworks/psvirtualnetworkname16y71mjc/subnets/test-subnet" -Location
westus2
```

----- EXAMPLE 2 -----

```
PS C:\>New-AzDnsResolverOutboundEndpoint -DnsResolverName sampleResolver -Name sampleOutboundEndpoint
-ResourceGroupName powershell-test-rg -SubscriptionId
ea40042d-63d8-4d02-9261-fb31450e6c67 -SubnetId
"/subscriptions/0e5a46b1-de0b-4ec3-a5d7-dda908b4e076/resourceGroups/powershell-test-08b4e076/resourceGroups/pow
ershell-t
est-rg/providers/Microsoft.Network/virtualNetworks/psvirtualnetworkname16y71mjc/subnets/test-subnet" -Location
westus2 -Tag @{"key0" = "value0"}
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.dnsresolver/new-azdnsresolveroutboundendpoint>

