



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'New-AzEventGridHybridConnectionEventSubscriptionDestinationObject'

PS:\>Get-HELP New-AzEventGridHybridConnectionEventSubscriptionDestinationObject -Full

NAME

New-AzEventGridHybridConnectionEventSubscriptionDestinationObject

SYNOPSIS

Create an in-memory object for HybridConnectionEventSubscriptionDestination.

SYNTAX

```
New-AzEventGridHybridConnectionEventSubscriptionDestinationObject [-DeliveryAttributeMapping <IDeliveryAttributeMapping[]>] [-ResourceId <String>] [<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for HybridConnectionEventSubscriptionDestination.

PARAMETERS

-DeliveryAttributeMapping <IDeliveryAttributeMapping[]>

Delivery attribute details.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ResourceId <String>

The Azure Resource ID of an hybrid connection that is the destination of an event subscription.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.EventGrid.Models.HybridConnectionEventSubscriptionDestination

NOTES

COMPLEX PARAMETER PROPERTIES

information on hash tables, run Get-Help

about_Hash_Tables.

DELIVERYATTRIBUTE MAPPING <IDeliveryAttributeMapping[]>: Delivery attribute details.

Type <String>: Type of the delivery attribute or header name.

[Name <String>]: Name of the delivery attribute or header.

----- EXAMPLE 1 -----

```
PS C:\>$damObj = New-AzEventGridDeliveryAttributeMappingObject -Type "TestType" -Name "TestName"
```

```
$eventSubObj = Get-AzEventGridSubscription -ResourceGroupName azps_test_group_eventgrid -DomainName  
azps-domain -TopicName azps-topic
```

```
New-AzEventGridHybridConnectionEventSubscriptionDestinationObject -DeliveryAttributeMapping $damObj -ResourceId  
$eventSubObj.Id
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.EventGrid/new-azeventgridhybridconnectioneventsubscriptiondestinationobject>