



Windows PowerShell Get-Help on Cmdlet 'New-AzEventGridPartnerConfiguration'

PS: \>Get-HELP New-AzEventGridPartnerConfiguration -Full

NAME

New-AzEventGridPartnerConfiguration

SYNOPSIS

Synchronously creates or updates a partner configuration with the specified parameters.

SYNTAX

```
New-AzEventGridPartnerConfiguration -ResourceGroupName <String> [-SubscriptionId <String>] [-Location <String>]
[-PartnerAuthorizationAuthorizedPartnersList
    <IPartner[]>] [-PartnerAuthorizationDefaultMaximumExpirationTimeInDay <Int32>] [-ProvisioningState <String>] [-Tag
<Hashtable>] [-DefaultProfile <PSObject>] [-AsJob]
    [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-PassThru]
[-Proxy <Uri>] [-ProxyCredential <PSCredential>]
    [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

```
New-AzEventGridPartnerConfiguration -ResourceGroupName <String> [-SubscriptionId <String>] -JsonFilePath <String>
[-DefaultProfile <PSObject>] [-AsJob] [-Break]
    [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-PassThru] [-Proxy
<Uri>] [-ProxyCredential <PSCredential>]
```

[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

New-AzEventGridPartnerConfiguration -ResourceGroupName <String> [-SubscriptionId <String>] -JsonString <String>
[-DefaultProfile <PSObject>] [-AsJob] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-PassThru] [-Proxy
<Uri>] [-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

DESCRIPTION

Synchronously creates or updates a partner configuration with the specified parameters.

PARAMETERS

-ResourceGroupName <String>

The name of the resource group within the user's subscription.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Subscription credentials that uniquely identify a Microsoft Azure subscription.

The subscription ID forms part of the URI for every service call.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Location <String>

Location of the resource.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-PartnerAuthorizationAuthorizedPartnersList <IPartner[]>

The list of authorized partners.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-PartnerAuthorizationDefaultMaximumExpirationTimeInDay <Int32>

Time used to validate the authorization expiration time for each authorized partner.

If DefaultMaximumExpirationTimeInDays is not specified, the default is 7 days.

Otherwise, allowed values are between 1 and 365 days.

Required? false

Position? named

Default value 0

Accept pipeline input? false

Accept wildcard characters? false

-ProvisioningState <String>

Provisioning state of the partner configuration.

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Tag <Hashtable>

Tags of the resource.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-JsonFilePath <String>

Path of Json file supplied to the Create operation

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-JsonString <String>

Json string supplied to the Create operation

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns true when the command succeeds

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.EventGrid.Models.IPartnerConfiguration

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

PARTNERAUTHORIZATIONAUTHORIZEDPARTNERSLIST <IPartner[]>: The list of authorized partners.

[AuthorizationExpirationTimeInUtc <DateTime?>]: Expiration time of the partner authorization. If this timer expires, any request from this partner to create,

update or delete resources in subscriber's context will fail. If specified, the allowed values are between 1 to the value of

defaultMaximumExpirationTimeInDays specified in PartnerConfiguration. If not specified, the default value will be the value of

defaultMaximumExpirationTimeInDays specified in PartnerConfiguration or 7 if this value is not specified.

[Name <String>]: The partner name.

[RegistrationImmutableId <String>]: The immutableId of the corresponding partner registration.

----- EXAMPLE 1 -----

```
PS C:\>$partner = New-AzEventGridPartnerObject -AuthorizationExpirationTimeInUtc "2023-11-19T09:31:42.521Z"
-Name "Auth0" -RegistrationImmutableId
"XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXXX"
```

```
New-AzEventGridPartnerConfiguration -ResourceGroupName azps_test_group_eventgrid -Location global
-PartnerAuthorizationDefaultMaximumExpirationTimeInDay 10
-PartnerAuthorizationAuthorizedPartnersList $partner
```

----- EXAMPLE 2 -----

```
PS C:\>$partnerRegistration = Get-AzEventGridPartnerRegistration -ResourceGroupName azps_test_group_eventgrid
-Name azps-registration
```

```
$partner = New-AzEventGridPartnerObject -AuthorizationExpirationTimeInUtc "2023-11-19T09:31:42.521Z"
-RegistrationImmutableId $partnerRegistration.ImmutableId
```

```
New-AzEventGridPartnerConfiguration -ResourceGroupName azps_test_group_eventgrid -Location global
-PartnerAuthorizationDefaultMaximumExpirationTimeInDay 10
-PartnerAuthorizationAuthorizedPartnersList $partner
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.eventgrid/new-azeventgridpartnerconfiguration>