



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

*windows PowerShell Get-Help on Cmdlet 'New-AzEventGridStorageQueueEventSubscriptionDestinationObject*

**PS:\>Get-HELP New-AzEventGridStorageQueueEventSubscriptionDestinationObject -Full**

#### NAME

New-AzEventGridStorageQueueEventSubscriptionDestinationObject

#### SYNOPSIS

Create an in-memory object for StorageQueueEventSubscriptionDestination.

#### SYNTAX

```
  New-AzEventGridStorageQueueEventSubscriptionDestinationObject [-QueueMessageTimeToLiveInSecond <Int64>]
  [-QueueName <String>] [-ResourceId <String>]
  [<CommonParameters>]
```

#### DESCRIPTION

Create an in-memory object for StorageQueueEventSubscriptionDestination.

#### PARAMETERS

**-QueueMessageTimeToLiveInSecond <Int64>**

Storage queue message time to live in seconds.

This value cannot be zero or negative with the exception of using -1 to indicate that the Time To Live of the message is infinite.

Required? false  
Position? named  
Default value 0  
Accept pipeline input? false  
Accept wildcard characters? false

#### -QueueName <String>

The name of the Storage queue under a storage account that is the destination of an event subscription.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

#### -ResourceId <String>

The Azure Resource ID of the storage account that contains the queue that is the destination of an event subscription.

Required? false  
Position? named  
Default value  
Accept pipeline input? false  
Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

## OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.EventGrid.Models.StorageQueueEventSubscriptionDestination

### ----- EXAMPLE 1 -----

```
PS C:\>New-AzEventGridStorageQueueEventSubscriptionDestinationObject -QueueMessageTimeToLiveInSecond 7  
-QueueName testQueue -ResourceId  
"/subscriptions/{subId}/resourceGroups/azps_test_group_eventgrid/providers/Microsoft.Storage/storageAccounts/azpssa"
```

## RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.EventGrid/new-azeventgridstoragequeueeventsSubscriptiondestinationobject>