



Windows PowerShell Get-Help on Cmdlet 'New-AzEventHubDestinationObject'

PS:\>Get-HELP New-AzEventHubDestinationObject -Full

NAME

New-AzEventHubDestinationObject

SYNOPSIS

Create an in-memory object for EventHubDestination.

SYNTAX

New-AzEventHubDestinationObject [-EventHubResourceId <String>] [-Name <String>] [<CommonParameters>]

DESCRIPTION

Create an in-memory object for EventHubDestination.

PARAMETERS

-EventHubResourceId <String>

The resource ID of the event hub.

Required?	false
-----------	-------

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Name <String>

A friendly name for the destination.

This name should be unique across all destinations (regardless of type) within the data collection rule.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Monitor.DataCollection.Models.EventHubDestination

----- EXAMPLE 1 -----

PS C:\>New-AzEventHubDestinationObject -EventHubResourceId

/subscriptions/9e223dbe-3399-4e19-88eb-0975f02ac87f/resourceGroups/AMCS-TEST/providers/Microsoft.EventHub/namespaces/amcseastushub -Name testHub

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Monitor/new-azeventhubdestinationobject>