



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'New-AzFirewallPolicyApplicationRuleCustomHttpHeader'

PS:\>Get-HELP New-AzFirewallPolicyApplicationRuleCustomHttpHeader -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzFirewallPolicyApplicationRuleCustomHttpHeader

SYNOPSIS

Create a new Azure Firewall Policy Application Rule Custom HTTP Header

SYNTAX

New-AzFirewallPolicyApplicationRuleCustomHttpHeader [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-HeaderName <System.String> -HeaderValue <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The New-AzFirewallPolicyApplicationRuleCustomHttpHeader cmdlet creates a Custom HTTP Header for Application Rule.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HeaderName <System.String>

The description of the rule

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HeaderValue <System.String>

The description of the rule

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSAzureFirewallPolicyApplicationRuleCustomHttpHeader

NOTES

----- Example 1 -----

```
$appRule = New-AzFirewallPolicyApplicationRule -Name "appRule" -SourceAddress "192.168.0.0/16" -TargetFqdn  
"*.contoso.com" -Protocol "https:443"  
  
$headerToInsert = New-AzFirewallPolicyApplicationRuleCustomHttpHeader -HeaderName "Restrict-Access-To-Tenants"  
-HeaderValue "contoso.com,fabrikam.onmicrosoft.com"  
  
$appRule.AddCustomHttpHeaderToInsert($headerToInsert)
```

This example creates an application rule and a custom HTTP header, then adds the header to the rule.

RELATED LINKS

	Online	Version:
https://learn.microsoft.com/powershell/module/az.network/new-azfirewallpolicyapplicationrulecustomhttpheader		