



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'New-AzFirewallThreatIntelWhitelist'

PS:\>Get-HELP New-AzFirewallThreatIntelWhitelist -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzFirewallThreatIntelWhitelist

SYNOPSIS

Create a new threat intelligence allowlist for Azure Firewall

SYNTAX

New-AzFirewallThreatIntelWhitelist [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-FQDN <System.String[]>] [-IpAddress <System.String[]>] [<CommonParameters>]

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-FQDN <System.String[]>] [-IpAddress <System.String[]>] [<CommonParameters>]

DESCRIPTION

The New-AzFirewallThreatIntelWhitelist cmdlet creates a threat intel allowlist object, which can be used when creating or setting an Azure Firewall.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FQDN <System.String[]>

The FQDNs of the Threat Intel allowlist

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-IpAddress <System.String[]>

The IP Addresses of the Threat Intel allowlist

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

`OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see [about_CommonParameters](#) (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

None

OUTPUTS

`Microsoft.Azure.Commands.Network.Models.PSAzureFirewallThreatIntelWhitelist`

NOTES

----- Example 1 -----

```
New-AzFirewallThreatIntelWhitelist -IpAddress @("2.2.2.2", "3.3.3.3") -FQDN @("bing.com", "yammer.com")
```

This example creates a threat intel allowlist containing a FQDN allowlist of two entries and an Ip address allowlist of two entries

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/new-azfirewallthreatintelwhitelist>

[Get-AzFirewall](#)

[New-AzFirewall](#)

[Set-AzFirewall](#)

