



Windows PowerShell Get-Help on Cmdlet 'New-AzFrontDoorCdnProfileScrubbingRulesObject'

PS:\>Get-HELP New-AzFrontDoorCdnProfileScrubbingRulesObject -Full

NAME

New-AzFrontDoorCdnProfileScrubbingRulesObject

SYNOPSIS

Create an in-memory object for ProfileScrubbingRules.

SYNTAX

```
New-AzFrontDoorCdnProfileScrubbingRulesObject -MatchVariable <ScrubbingRuleEntryMatchVariable> [-Selector  
<String>] [-State <ScrubbingRuleEntryState>]  
[<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for ProfileScrubbingRules.

PARAMETERS

-MatchVariable <ScrubbingRuleEntryMatchVariable>

The variable to be scrubbed from the logs.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Selector <String>

When matchVariable is a collection, operator used to specify which elements in the collection this rule applies to.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-State <ScrubbingRuleEntryState>

Defines the state of a log scrubbing rule.

Default value is enabled.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Cdn.Models.Api20240201.ProfileScrubbingRules

----- EXAMPLE 1 -----

```
PS C:\>New-AzFrontDoorCdnProfileScrubbingRulesObject -MatchVariable RequestIpAddress -State Enabled
```

----- EXAMPLE 2 -----

```
PS C:\>New-AzFrontDoorCdnProfileScrubbingRulesObject -MatchVariable RequestUri -State Disabled
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Cdn/new-AzFrontDoorCdnProfileScrubbingRulesObject>