



Windows PowerShell Get-Help on Cmdlet 'New-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject'

PS:\>Get-HELP New-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject -Full

NAME

New-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject

SYNOPSIS

Create an in-memory object for DeliveryRuleRouteConfigurationOverrideAction.

SYNTAX

```
New-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject -Name <DeliveryRuleAction>
[-CacheConfigurationCacheBehavior <RuleCacheBehavior>]
[-CacheConfigurationCacheDuration <String>] [-CacheConfigurationIsCompressionEnabled
<RuleIsCompressionEnabled>] [-CacheConfigurationQueryParameter <String>]
[-CacheConfigurationQueryStringCachingBehavior <RuleQueryStringCachingBehavior>] [-OriginGroupId <String>]
[-OriginGroupOverrideForwardingProtocol
<ForwardingProtocol>] [<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for DeliveryRuleRouteConfigurationOverrideAction.

PARAMETERS

-Name <DeliveryRuleAction>

The name of the action for the delivery rule.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-CacheConfigurationCacheBehavior <RuleCacheBehavior>

Caching behavior for the requests.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-CacheConfigurationCacheDuration <String>

The duration for which the content needs to be cached.

Allowed format is [d.]hh:mm:ss.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-CacheConfigurationIsCompressionEnabled <RuleIsCompressionEnabled>

Indicates whether content compression is enabled.

If compression is enabled, content will be served as compressed if user requests for a compressed version. *Page 2/5*

Content won't be compressed on AzureFrontDoor when requested content is smaller than 1 byte or larger than 1 MB.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-CacheConfigurationQueryParameter <String>

query parameters to include or exclude (comma separated).

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-CacheConfigurationQueryStringCachingBehavior <RuleQueryStringCachingBehavior>

Defines how Frontdoor caches requests that include query strings.

You can ignore any query strings when caching, ignore specific query strings, cache every request with a unique URL, or cache specific query strings.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-OriginGroupId <String>

Resource ID.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-OriginGroupOverrideForwardingProtocol <ForwardingProtocol>

Protocol this rule will use when forwarding traffic to backends.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Cdn.Models.Api20240201.DeliveryRuleRouteConfigurationOverrideAction

----- EXAMPLE 1 -----

PS C:\>\$originGroupId = "xxxx"

New-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject -Name RouteConfigurationOverride

-OriginGroupOverrideForwardingProtocol HttpOnly -OriginGroupId

\$originGroupId

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.Cdn/new-AzFrontDoorCdnRuleRouteConfigurationOverrideActionObject>